



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



Case Vehicle (A): 2000 Dodge

Type: Dakota SLT, 4 x 4, 2-door pickup

Driver: 42-year-old female

CDC: 12-FREE-9

Veh. (B): 1984 Ford

Type: F-250, 4 x 4, 2-door pickup

Driver: unoccupied CDC: 99-0000-0

SITUATION

(Slide 1) It was daytime, the sky was clear, and the two-lane asphalt road was dry and free of defects. (Slide 2) Case vehicle (A) was traveling east at an unknown speed in the eastbound lane, and vehicle (B) was parked and unoccupied straddling the shoulder of the road in front of case vehicle (A). The driver of case vehicle (A), who is a rural mail carrier, was sitting to the right of center in the front seat, steering with her left hand and operating the pedals with her left foot. She reportedly missed the brake pedal and put her foot on the gas pedal by mistake. Case vehicle (A) accelerated, and struck the rear of vehicle (B) with its right front. The driver of case vehicle (A) was taken by ambulance to a local hospital where she was treated and released. Case vehicle (A) was towed due to damage. Vehicle (B) was able to be driven away from the scene.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 3) Damage to case vehicle (A) was moderate. Direct damage began at the right-front bumper corner and extended 23 cm to the left, resulting in 19-percent vehicle overlap. The maximum crush was 28 cm at the right-front bumper corner. (Slide 4) Direct contact damage also extended 219 cm down the right side.

Using the WinSMASH accident-reconstruction program, and a (slides 5, 6, 7 and 8) crush profile measured for case vehicle (A), the following impact severity was calculated:

		Calculated	Velocity Change	- kph (mph)
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	17 (10)	-17 (-10)	0 (0)

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

In the front, (slide 9) the right headlight assembly, the right side of the grille, hood, (slide 10) and engine compartment, and (slides 11 and 12) both hood hinges were damaged. (Slide 13) The

hood latch was damaged and jammed closed. The hood was pried open by rescue or towing personnel separating the latch from the hood while the latch remained engaged. (Slide 14) The rear edge of the hood was elevated, (slide 15) and it contacted, cracked, and penetrated the lower-right edge of the windshield. (Slide 16) The upper right portion of windshield was cracked from contact by the occupant, the deploying passenger airbag, or an interior loose object.

(Slide 17) On the right side, the fender was disintegrated, and the upper and lower A- and B-pillars, the door, (slide 18) the roof siderail, the upper C-pillar, and the quarter panel were damaged. The right door was jammed closed. The right-door window glass was broken. (Slide 19) The right wheelbase was reduced 5 cm.

On the left side, (slide 20) the fender displayed some minor induced buckling. (Slide 21) The left-rear window was broken out. (Slide 22) The left-rear tire was flat and de-beaded from the rim, probably due to post-impact rotation of the vehicle. (Slide 23) There was no change in the left wheelbase.

(Slide 24) There was no damage to the rear of the vehicle.

Interior

This vehicle was equipped with steering-wheel and passenger frontal-impact airbags, and (slides 25, 26 and 27) both deployed. (Slides 28 and 29) There was no damage to the steering-wheel or passenger airbag module covers. (Slides 30 and 31) There was no damage to the steering-wheel rim or (slide 32) spokes. (Slide 33) The right upper A-pillar, (slide 34) the roof siderail, the head liner, the roof structure, and (slide 35) the right-front door interior and hardware were damaged. (Slides 36, 37, 38, 39 and 40) There was no other interior damage and there were no measurable intrusions.

OCCUPANT KINEMATICS AND INJURIES

(Slide 41) The 5-ft, 7-in, 178-lb, 42-year-old female driver was <u>not</u> wearing the three-point belt, and the frontal-impact airbag deployed. (Slide 42) There were no webbing imprints on the plastic D-ring, (slide 43) or scratches on the metal latch plate of the driver three-point belt system. The driver was delivering mail at the time of the crash and she was seated in a right-

center seating position, using her left foot to operate the brake and gas pedals, and steering the vehicle with her left hand.

On impact, the driver moved forward and to the right relative to the vehicle interior, into the (slide 44) passenger airbag, (slide 45) the right door, the right upper A-pillar, and (slide 46) windshield. She sustained a contusion to the lateral aspect of the right forearm near the elbow, probably from contact with the handhold on the upper A-pillar, (slide 47) as evidenced by the deformed plastic and the short hairs stuck to the handhold. She sustained a contusion and dislocation of the right fourth digit, probably from hand contact with the windshield caused by airbag fling, as evidenced by the spider-web pattern of damage near the right edge of the windshield. She sustained a contusion to the lateral aspect of her right mid thigh, probably from contact with the interior door panel, (slide 48) as evidenced by the broken plastic and indentation, or possibly from contact with the glove box, (slide 49) as evidenced by the scuff mark.

The following table and attached drawing (slide 50) summarizes the injuries for the driver of case vehicle (A).

Occupant: Driver

Age: 42 years

Restraints: 3-point belt <u>not</u> worn; frontal-impact airbag deployed Stature: 170 cm (5 ft, 7 in)

Gender: Female Mass: 81 kg (178 lb)

Note: Driver is a rural postal mail carrier and she was sitting in the right-center seat area with her left foot operating the brake and gas pedals.

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Contusion, lateral aspect of the right forearm near the elbow	1		Hand hold on upper right A-pillar	
Contusion and dislocation of 4 th digit of the right hand	1		Windshield (airbag fling)	
Contusion, lateral aspect of right mid thigh	1		Right door interior hardware	Glove box
			,	
Maximum A.I.S. Level	1			
Injury Severity Score	2			

Duplicate columns 1-8 Module G I Format (from the previous card. 9 10 1	0 2	GENERAL INFORMATION	GI-1
Тіме		ENVIRONMENTAL CONDITIONS	
DATE OF COLLISION			
1		CONSTRUCTION ZONE	
m m / d d / y y	уу	(0) NO (1) YES (9) UNKNOWN	33
HOUR OF COLLISION	-	ROAD ALIGNMENT VERTICAL PLANE	
LOCATION		(1) LEVEL	1 1
STATE:		(2) CREST OF HILL (3) SLOPE (2%)	34
OTATE.		(4) BOTTOM OF HILL (9) UNKNOWN	
STATE FIPS CODE	25 26	ROAD ALIGNMENT HORIZONTAL PLANE	
AREA			,
(1) URBAN	_	(1) STRAIGHT (2) CURVE	
(2) RURAL	27	(3) T - SHAPED (4) Y - SHAPED	35
(9) UNKNOWN	21	(7) OTHER: (9) UNKNOWN	
ENVIRONMENTAL CONDITIONS		SURFACE COVERING	
LIMITED-ACCESS HIGHWAY		(10) DRY	10
(0) NO (1) YES	0	(21) WATER - DAMP	36 37
(9) UNKNOWN	28	(22) WATER - WET (23) WATER - PUDDLED	
ROAD, TOTAL TRAFFIC LANES		(29) WATER - AMOUNT UNKNOWN	
(FOR CASE VEHICLE)		(31) SNOW - LOOSE	
(1) 1-LANE		(32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN	
(2) 2-LANES (3) 3-LANES	ム	(41) ICE	
(4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES	29	(51) SLUSH (61) SPILLED GRAVEL	
(6) PARKING LOT/DRIVEWAY (7) OTHER:		(71) OTHER:	
(9) UNKNOWN			
INTERSECTING RD, TOTAL LANES		VISIBILITY LIMITATION (FOR CASE VEHICLE)	
CHOOSE FROM ABOVÉ LIST, OR	O	(0) NONE	0
(8) NOT APPLICABLE	8	(1) CLOUDY/DARK (2) FOG	38
•	30	(3) SMOKE (4) WINDSHIELD CONDITION	
TYPE OF ROAD SURFACE		(5) GLARE (6) RAIN	
(1) ASPHALT	,	(7) OTHER:	
(2) CONCRETE (3) GRAVEL	31	(9) UNKNOWN	
(4) MORE THAN ONE (CIRCLE EACH) (7) OTHER:		VISIBILITY OBSTRUCTION	
(9) UNKNOWN	İ	(FOR CASE VEHICLE)	
POAD DEFECTO		(0) NONE (1) BUILDING	0
ROAD DEFECTS		(2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS)	39
(0) NO (1) YES	0	(4) TREE	
(9) UNKNOWN	32	(5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT	
		(7) OTHER:	
		(9) UNKNOWN	

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	40	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6 5 TO 22 (2) -5 TO -1 23 TO 31 (3) 0 TO 2 32 TO 36 (4) 3 TO 5 37 TO 41 (5) 6 TO 15 42 TO 59 (6) 16 TO 25 60 TO 77 ▼ (7) 26 TO 35 78 TO 95 (8) OVER 35 OVER 96 (9) UNKNOWN CROSSWIND	8 42 43	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS:
- (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	9 44	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	<u>O</u> 48	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	2 55
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	0 49	DRIVER IMPAIRMENT DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u>O</u> 56
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	O 50	DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	8 6 57 5
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	51	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	O 59
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>0</u> 52	LIST IMPAIRMENTS MENTION	ED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN ANY FIRE IN THIS CRASH	53	POST - CRASH DETAIL MANNER CASE VEHICLE LEFT SCENE (1) DRIVEN (2) TOWED DUE TO DAMAGE	
(NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>ð</u>	(2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	2 60

ACCIDENT SCHEMATIC

CCIDENT DESCRIPT	TION: <u>(ase vehicle</u>	(A) was traveling east an	CASE VEHICLE (A): 20	. Podge PAKA PU
struck the re	ear of vehicle ((A) was treaveling east an (B) with its right-treat;	OTHER VEHICLE (B): 19	Y fond F250 PU
i				
				NORTH
		Speed Limit 25		
A1				
			→ A2	
	****			B1

- Duplicate columns 1-8 Module O V Format from the previous card.	0 <u>4</u> 11 12		OTHER VEHICLE	OV-1
MAKE: FORD MODEL: F250 4x4, Super CAB	picK	موں	CARGO:	
VIN <u>1 F T H X Z 6</u>	17	EK	29	
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{2}{1}$	12		LE TYPE GER VEHICLE	
MAKE/MODEL CODE 3 1	<u>9</u>	(02) (03) (17)	GEN VERICLE LARGE LIMOUSINE PICKUP CAR UNKNOWN PASSENGER VEHICLE BODY	1 2 56 57
MODEL YEAR 1 9 8	42	(24) (25) (26) (26)	SUB-MINI	
VEHICLE MASS (kg) 0 0 2 4 9	7 9 48		NTERMEDIATE	
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	<u>o</u>	(14) 5 E (15) L	RPOSE PASSENGER VEHICLE SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO) LARGE UTILITY (WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)	
(ENTER 9'S IF UNKNOWN)	51	(16) F (17) F (21) M (22) F (23) F	PICKUP TRUCK WITH CANOPY/SHELL COVER PICKUP CAR WITH CANOPY/SHELL COVER MOTOR HOME PICKUP TRUCK WITH SLIDE-IN CAMPER PICKUP CAR WITH SLIDE-IN CAMPER CHASSIS-MOUNTED CAMPER	
TRAVELING SPEED (km/h) (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	54	(13) L (15) L (16) P (22) P (30) U (31) O	VAN PICKUP TRUCK INKNOWN LIGHT TRUCK ARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) PICKUP TRUCK WITH CANOPY/SHELL COVER PICKUP TRUCK WITH SLIDE-IN CAMPER INKNOWN TRUCK TYPE PHASSIS-MOUNTED CAMPER PELIVERY VAN (WALK-IN)	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY	55	(34) S (35) T (36) C (37) U (38) T	TRAIGHT TRUCK RUCK-TRACTOR (BOBTAIL) HASSIS-CAB NKNOWN HEAVY TRUCK RACTOR & SEMI-TRAILER (SEMI) RUCK (OR SEMI) & FULL TRAILER(S)	
(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN		(41) S (42) IN (43) TI (44) S	NKNOWN BUS TYPE CHOOL BUS ITERCITY BUS (BETWEEN CITIES) RANSIT BUS (INTRACITY) TREETCAR (ON TRACKS) RAIN (CARS) DCOMOTIVE (ENGINE, SWITCHER)	
		WHEELB	NKNOWN BASE <i>(cm)</i> NKNOWN	<u>3 9 4</u> 58 59 60

Duplicate columns 1-8 from the previous card. Module O V Format 0 2
9 10 11 12

OTHER VEHICLE

OV-2

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

$$\frac{O}{\frac{1}{22}} \frac{7}{1} \frac{3}{8} \text{ cm}$$

$$\frac{1}{25} \frac{1}{27} \frac{8}{27} \text{ cm}$$

Undeformed End Width (UEW)

1 8 5 cm

$$\frac{5}{5}$$
 8 $\frac{5}{16}$ cm

Engine Displacement

Average Track Width $\frac{9}{9}$ $\frac{9}{9}$ $\frac{9}{9}$ cm

Overall Length $\frac{5}{16}$ $\frac{8}{9}$ $\frac{5}{18}$ cm


Overall Width (OAW) $\frac{1}{19}$ $\frac{9}{21}$ $\frac{6}{21}$ cm

Engine: # of Cylinders

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS

This vehicle was able to be driven away from the accidnet scene and was not inspected



FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

$$\frac{9}{35} \frac{9}{37} cm$$

Front-End Overlap (Percent) = DDL UEW

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW

- Duplicate colun - from the previo		Module <u>\</u>	<u>V</u> <u>D</u> Forma	t <u>0 4</u>		VE	HICLE	DESCRIPT	ION	VD-1
MAKE: $\mathcal{D}_{\mathcal{L}}$	odge Akoti	1 Si7	- 4×4, C	Tub cab	PU	CARG	O:	Mail		
VIN	<u>B</u>	7 6	4 G 3	2 2	N 1	<u>4</u>				29
MANUFAC/E	3ODY C	DDE	1 3 2	12	STOLE	N VEHICL	E-			
MAKE/MOD	EL CODI	=	32	25			TED			8 62
MODEL YEA	N R		<u>Z</u> <u>0</u> _	00						
VEHICLE MA	ASS (kg)	0 0	19	0 1	BODY	STRUCTU	RE			
ODOMETER (ENTER 9'S IF UN (ENTER 8'S IF EL	IŘNOWN) ECTRONIC)	49	8 8	8 <u>8</u>	(2) L (3) II (4) B	BODY & FRAI JNITIZED NTEGRAL-S' BODY & PLA' E.G. VW BUG	TUB FRA	AME FRAME		63
NUMBER OF				<u>O</u> _/	(5) P	PARTIALLY U OTHER: INKNOWN				
TRAVELING			9	9 9						
	STARTING (ING UP ED NOT EX ED EXCES:	G UP (CESSIVE (BUT UNKNOW UNKNOWN)	(N)	(0) N (1) A (2) N	MISSION IONE LUTOMATIC IANUAL INKNOWN				64
VEHICLE TY	PE				LOCAT	10N 05 T	24101	41001011		
	R HARDT		PER B-PILLAR)		SELEC	ION OF TE TOR LEVE		MISSION		3
(12) 2-DOO (AA (13) 4-DOO (14) 4-DOO	<i>Y UPPER</i> R HARDTO	B-PILLAR)	:	60 61	(2) C (3) C	LOOR ONSOLE OLUMN THER:				65
(15) STATION (16) CONVE (18) OTHER	ON WAGO ERTIBLE R PASS. VI	EH. :	PE UNKNOWN	-	. ,	NKNOWN				
MULTIPURPOS (21) SMALL	E PASSEN	IGER VEHI	CLE		STEER	ING				,
	E UTILITY (SIZE UNKN MALL (MINI ARGE YPE UNKI	E.G. PANEL TF OWN)	RUCK, SUBURBAN)		(2) M	OWER IANUAL NKNOWN				66
TRUCK (31) PICKUI	P TRUCK,	UNKNOWN			BRAKE					
(32) PICKUI (33) PICKUI	P TRUCK,	DMALL <i>(DO)</i> LARGE	VNSIZED)		(2) M	OWER ANUAL NKNOWN				67
(99) UNKNO	MAIN									

		VEHICLE DESCRIPTION VD	-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	<u>Z</u>		3 3 77 78
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 70		O 79
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (B) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	3 71 0 72	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY OUT- LINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:	
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	74 1 75	ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)	

Duplicate columns 1-8 from the previous card. Module V D Format 0 2

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

333 cm Wheelbase

Front Overhang

 $\frac{o}{2} \frac{8}{7} cm$

Curb Weight

Rear Overhang

Average Track Width $\frac{1}{13}$ $\frac{5}{4}$ $\frac{5}{15}$ cm

Overall Length $\frac{5}{16}$ $\frac{4}{18}$ $\frac{6}{18}$ cm

Undeformed End Width (UEW)

 $\frac{1}{\frac{25}{25}} \frac{2}{\frac{6}{27}} cm$ $\frac{1}{\frac{6}{28}} \frac{6}{\frac{6}{30}} cm$


Engine Displacement

Overall Width (OAW) 1 8 2 cm

Engine: # of Cylinders

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS



FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

 $\frac{0}{35}$ $\frac{2}{37}$ cm

Front-End Overlap (Percent) = DDL

1 4 %

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW

Duplicate columns 1-8 Module D from the previous card.	A Format 0 2 12	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	1	
IMPACT SPEED (km/h)	9 9 15 16	9 9 9 35 36 37
ESTIMATED BY	1	1
CRUSH (cm)	O 2 8 18 19 20	$\frac{9}{39} \frac{\cancel{9}}{\cancel{40}} \frac{\cancel{9}}{\cancel{41}}$
CDC #1	12. FREE. 9	99.0000.0
CDC #2	$ \begin{array}{c c} \underline{1} & \underline{2} \cdot \underline{F} & \underline{R} & \underline{E} & \underline{E} \cdot \underline{q} \\ \underline{q} & \underline{8} \cdot \underline{O} & \underline{O} & \underline{O} \cdot \underline{O} \cdot \underline{O} \\ \underline{28} & \underline{34} \end{array} $	99.0000.0
	A_Format_0_3_0 11 12	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	<u>8</u> 13	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	38
CRUSH (cm)	18 19 20	39 40 41
CDC #1	21	42
CDC #2	28 34	49
Codes EVENT NUMBER	IMPACT OPER FORMATOR	ODUOU
(8) NOT APPLICABLE (9) UNKNOWN	IMPACT SPEED ESTIMATOR (1) INVESTIGATOR (2) DRIVER (3) POLICE	CRUSH (998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
IMPACT SPEED (998) NOT APPLICAE (999) UNKNOWN	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	(9800000) NOT APPLICABLE
, , ,	(8) NOT APPLICABLE (NO VEHICLE/NO IMPACT)	(9900000) UNKNOWN

Duplicate columns 1-8 M from the previous card.	lodule <u>D</u> <u>A</u> Format <u>0</u> <u>1</u> 12		DAMAGE DA-2			
	MAXIMUM SHE	ET METAL CRUSH				
	(cm) (9	99) UNKNOWN				
FRONT	<u>D</u> <u>Z</u> <u>8</u>	RIGHT SIDE	<u>O</u> <u>O</u> <u>O</u>			
REAR	19 0 21	LEFT SIDE	0 0 2			
ROOF	<u>O</u> <u>O</u> <u>O</u> <u>27</u>	OTHER	<u>O</u> <u>O</u> <u>O</u> <u>O</u>			
	CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE					
NOTE: IF CHRONO IS UNKNOW ORDER IS C	LOGICAL ORDER IN, EVENT OPTIONAL.	DO YOU KNOW THI TO BE IN CHRONOL (0) NO (1) YES	S TABLE LOGICAL ORDER? 1			
EVENT NUMBER	IMPACT LOCATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION FOR CODES, SEE TABLE ON PAGE DA-3.	OBJECT/VEHICLE CONTACTED FOR CODES, SEE TABLE ON PAGE DA-4.			
# 1	<u></u>	<u>/ 4</u>	<u>/2</u>			
#2	37					
#3	42	 44	<u> </u>			
#4	47 - 49					
#5	52	 54	<u></u>			
#6	57	 59	<u> </u>			
#7	62	 64	<u> </u>			

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE T) (22) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T) (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE T) (42) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T) (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- OTHER (DESCRIBE) (98)
- (99) UNKNOWN

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

> 3175 mm (> 125")

SUB-MINI	< 2286 mm (< 90")
MiNI	2286 - 2412 mm (90° - 94.9°)
SUB-COMPACT	2413 - 2539 mm (95" - 99,9")
COMPACT	2540 - 2666 mm (100" - 104.9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124 9")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP

LIMOUSINE

- (14) SMALL UTILITY (WHEELBASE LESS THAN 107°. E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc
- (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE) (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION (91) GUARD RAIL, MIDDLE OR UNKNOWN (92) GUARD RAIL, TRAILING SECTION
- (93) GUARD POST (TIMBER, METAL, CONCRETE)
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 from the previous card.

CRASH RECONSTRUCTION

CR-1

	for ΔV						
		PRIMARY IMPACT	CASE VEHICLE SECONDARY IMPACT				
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE			
EVENT NUMBER	13		47				
ΔV (km/h) TOTAL	9	Q 	48 49 50	66 67 68			
LONGITUDINAL*	9	35 38	51 54	69 72			
LATERAL*	9 —	9-					
NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76			
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>- 0 0 7</u>							
ENERGY DISSIPATED BY CRUSH (kj)	<u>9</u>	9	59 62	77 — — 80			
RECONSTRUCTION				,			
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	12						
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64				
NOT RECONSTRUCTED BECAUSE							
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				-			
MODE							
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM	31		65				
SPECIFY:							

Duplicate columns 1-8 Module C F from the previous card. 9 1	R Format 0 2 11 12		H RECONSTRUC r EBS	TION CR-2			
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SECONDARY IMPACT				
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE			
EVENT NUMBER	13		47				
EBS (km/h) TOTAL	<u>O</u> 1 7 15 16	32 33 34	48 49 50	66 67 68			
LONGITUDINAL*	- 0 1 7 17	9	51 54	69 72			
LATERAL* *NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN. EXAMPLES: 10 km/h = ± Q 1 Q -7 km/h = ± Q 2 Z	<u>+000</u> 21 24	9	55 58	73 76			
ENERGY DISSIPATED BY CRUSH (kg)	<u>Ø</u> <u>O</u> <u>L</u> <u>S</u>	9 ————————————————————————————————————	59 62	77 — 80			
RECONSTRUCTION (01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL (21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL NOT RECONSTRUCTED BECAUSE (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED	<u>Z</u> <u>Z</u> <u>30</u>		63 64				
-(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM SPECIFY: WINSMAJE	<u>2_</u> 31		65				

Duplicate columns 1-8	
from the previous card	

Module C R Format 0 3

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.


CASE VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
1	BezinktBC 23cm to Lt	Ft Bunga BC to BC



160 = UEW

DL <u>23</u> UDL <u>/37</u>

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	le below is a	separate rec	ord (card).			umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
_ [1	23	41	148	16	7	6	8	12	41	+69
			-13		-13	-3	-1	-1	-3	-13	
1 13	14	023	028	148	003			007	009	028	+069
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2		1		-							

Duplicate columns 1-8
from the provious eard

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u> 11 12

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE ${\it C_1}$ TO ${\it C_6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


LOCATOR

3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.

4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L



DL _____

UDL _

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	le below is a	separate rec	ord (card).		plicate col	umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	С3	C ₄	C ₅	C ₆	±D
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
-											
2											

Duplicate columns 1-8 Module W T Format 0 11 Form the previous card.		WHEELS AND TIRES WT-1
WHEELSDAMAGED LF (0) NO RF (1) YES (9) UNKNOWN RR FIAT - LR	O 13 O O 16	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF 23575R15 RF 3 RR 5
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: RR (9) UNKNOWN LR	4 4 4 20	LR
CARCASS CONSTRUCTION LF (1) BIAS (2) BELTED BIAS RF (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN LR	3 3 3 24	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:		

Duplicate columns 1-8 from the previous card. Module F T Format 0 11	1 12	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>8</u> 21
MAIN TANK LOCATION	$\frac{3}{14} \frac{2}{16}$	AUXILIARY TANK LOCATION	8 8 2
MAIN FILLER CAP LOCATION	<u>3</u> <u>13</u>	AUXILIARY FILLER CAP LOCATION	<u>8</u> <u>8</u> <u>8</u> 2
MAIN TANK MATERIAL	1 20	AUXILIARY TANK MATERIAL	<u>8</u>
(1) BEH (2) IN K (3) BET (4) FOR (8) NOT (9) UNK SECOND DIC (1) LEFT (2) WITH (3) RIGH (4) DUA (8) NOT (9) UNK THIRD DIGIT (1) BELC (2) WITH (3) ABO	IND KICK-LICK-UP WEEN KICI WARD OF APPLICAE NOWN GIT (LATER T OF FRAME IN FRAME APPLICAE NOWN (VERTICAE OW FRAME VE FRAME APPLICAB	C-UP & COWL COWL BLE (NOT EQUIPPED) FAL) E COR CENTERED ME LEFT TANKS LE (NOT EQUIPPED) AL) OR CENTERED	
TANK MATER (1) STEE (2) ALUM (3) PLAS (7) OTHE (8) NOT (9) UNKN	EL MINUM ETIC ER APPLICABI	DES LE (NOT EQUIPPED)	

Duplicate columns 1-8 from the previous card.

Module F L Format 0 1 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

13

(1) YES COMPLETE PAGE.

	l	11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15		_			21
#2	22 23	_		_		29
#3	30 31			—		37
#4	38 39					45
#5	46 47					53

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format 0 from the previous card. 9 10 11		FIRE	FR-1				
WAS THERE FIRE IN OR ON CASE VEHICLE? (0) NO <u>SKIP PAGE</u> . (1) YES <u>COMPLETE PAGE</u> .							
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16				
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17				


PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module E D Format from the previous card.	0 <u>1</u> 1 12	Exterior Damage	ED-1
HOOD PERFORMANCE		STEERING COL FLEXIBLE COUPLING FLEXIBLE COUPLING TYPE	
FOR THE FOLLOWING, USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)	9 26
HOOD LATCH(ES)RELEASED	$\frac{\mathcal{O}}{13}$	(7) OTHER:	
-DAMAGED	14	COUPLINGDAMAGED	
Pried JAMMED	15	(USE CODES FROM <u>HOOD</u> PERFORMANCE) -SEPARATED	
HOOD HINGESLEFT, DAMAGED	16	(COMPLETE)	28
-LEFT, SEPARATED (COMPLETE)	<u>Ø</u>		
-RIGHT, DAMAGED	18	ENG COMPART TELESCOPING UNIT	
* -RIGHT, SEPARATED (COMPLETE)	<u>O</u>	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED	8 8 30
HOOD REMAINED ON VEHICLE	20	(97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	29 30
REAR EDGE OF HOODELEVATED	1 21	ORIGINAL LENGTH (mm)	
-CONTACTED WINDSHIELD	$\frac{1}{22}$	F (OR H):	
-PENETRATED WINDSHIELD	<u> </u> 23	TELESCOPED LENGTH (mm)	
HOOD LATCH LOCATION		G:	
(1) FRONT OF VEHICLE (2) COWL AREA (3) SIDE (8) NOT APPLICABLE (9) UNKNOWN	1 24	DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.)	
ENGINE OR TRANSMISSION MOUNT SEPARATION (COMPLETE) (0) NO (1) YES (9) UNKNOWN	<u>O</u> 25	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 33

		EXTERIOR DAMAGE	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	Q 34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
-A-PILLAR, UPPER	<u>D</u> 35	(8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN	
LOWER	<u>O</u>	-FRONT -REAR	⊘ 43 ⊘ 44
-B-PILLAR, UPPER	<u>Q</u> 37	DOORS JAMMED CLOSED-	
LOWER	O 38 O 39	USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	39 <u>8</u>	-FRONT	<u>O</u>
-D-PILLAR, UPPER	8 41	-REAR	<u>8</u> 46
LOWER	8 42		
-			

-		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK	<u>O</u>	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE	<u>\$</u>
(2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN		(9) UNKNOWN SPARE TIRE (0) NO SPARE TIRE	8
Hatchback One-way		 (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN 	51
Two-way or Clamshell		TRAILER HITCH TYPE (0) NO HITCH BALL-AND-SOCKET TYPES	<u>O</u>
Single door		 (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING 	
- Double door		OTHER TYPES (5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL. P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN OPENED BECAUSE OF	3 48	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN DOOR JAMMED CLOSED		TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	53
(0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	8		

	*	EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	4 55	(98) NOT APPLICABLE <i>(NO DOOR)</i> (99) UNKNOWN	
LOWER	4 56	-FRONT -REAR	© 53 64 9 8
-B-PILLAR, UPPER	4		65 66
LOWER	4 58	DOORS JAMMED CLOSED- USE CODES: (0) NO	
-C-PILLAR, UPPER	4	(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	•
LOWER	<u>8</u>	-FRONT	<u>J</u> 67
-D-PILLAR, UPPER	<u>2</u>	-REAR	68
LOWER	8/82	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT & LEFT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	8



Duplicate columns 1-8 Module S C Format from the previous card. 9 10	0 1	STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u> 13	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AHEAD) O'CLOCK = 999 (99) UNKNOWN	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u> 15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNII, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	3 16	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u> 17	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u> 18	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

-		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN		STEERING WHEEL (CONTINUED)	
ENERGY ABSORBING DEVICE		(0011111020)	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	<u>O</u>
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE) OR			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
RT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>0</u>		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	32		

This page left intentionally blank.


1 = Definitely 2 = Probably 3 = Possible


					INT	RUSION IT-1
	(All Me	(All Measurements Are in Centimeters)				
	Comparison	_	Intruded	_		Crush
Intruded Component	Value		Value		Intrusion	Direction
		_		=		
		_		=		
						
		_	····	=		
		_		=		
		_		=		
		_		=		
	Intruded Component	Comparison	Comparison _	Comparison _ Intruded	Intruded Component	Comparison

OCCUPANT CONTACT WORKSHEET

					Confidence
	Interior	Occupant	Body		Level of
	Component	No. if	Region		Contact
Contact	Contacted	Known	if Known	Supporting Physical Evidence	Point
_	Hand hold	DR	Rt. arm	Deformed and hair deposit	1
A	on upper A-				
	pillar				
- D	Right door	DR	Rt. thigh	plastic cracked and dented	1
В	panel				
С	Glove box	DR	Rt. Leg	Scuff-mark	2
D	Windshield	DR	Rt. hand	Starred and pushed outward	2
	Roof	DR	Head	Scuff-mark	3
E	mounted				
	console				
F					
G					
Н					

VEHICLE OCCUPANT CONTACT DIAGRAM





CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1)	LEFT	(3) RIGHT	•••••••••••••••••••••••••••••••••••••••		INDIVIDI	JAL SEAT
(1)	LEFT	(2) CENTER	3) RIGHT	•••••	BENCH:	FULL WIDTH 3 PASSENGER
(1)	LEFT	(2) LEFT CENTER	6) RIGHT (3) CENTER	RIGHT	BENCH:	FULL WIDTH 4 PASSENGER
(1)	LEFT	(2) CENTER	5) RIGHT & AISLE SPACE		BENCH:	PARTIAL WIDTH, LEFT
(0)	LEFT & SPACE	(2) CENTER	5) RIGHT & SPACE		BENCH:	PARTIAL WIDTH, CENTERED
(4)	ENTIRE \	EHICLE WIDTH			CARGO	ARFA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT
(97)	(00) (99)	CONTACT, NO INJURY CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE **SEAT-BACK BACK SURFACE**
- (21) FIFTH SEAT-BACK SURFACE **SEAT-BACK BACK SURFACE**
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE. JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50) WINDSHIELD HEADER A-PILLAR
 - ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL
 - A-PILLAR
 - WINDSHIELD HEADER
- (53)DOOR PANEL **B-PILLAR ROOF RAIL**
- (54)DOOR PANEL A-PILLAR **ROOF RAIL**
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR
- DOOR FRAME (56)ROOF RAIL A-PILLAR
 - **B-PILLAR** WINDOW FRAME
- (57) ROOF RAIL A-PILLAR **B-PILLAR** C-PILLAR DOOR PANEL
- (58)ROOF **ROOF RAIL**
 - WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF
 - C-PILLAR THIRD SEAT-BACK

- (60)ROOF **ROOF RAIL** A-PILLAR **B-PILLAR** C-PILLAR
 - WINDOW FRAME DOOR PANEL FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN
 - WINDSHIELD HEADER A-PILLAR
 - **ROOF RAIL** WINDOW FRAME DOOR PANEL ROOF
- (62)ROOF **ROOF RAIL** C-PILLAR WINDOW FRAME **FLOOR PAN** SECOND SEAT DOOR PANEL
- (63)ROOF RAIL **ROOF B-PILLAR** WINDOW FRAME FLOOR PAN DOOR PANEL SECOND SEAT

FRONT SEAT

- (64)ROOF RAIL **ROOF OR CONVERTIBLE TOP** A-PILLAR **B-PILLAR** WINDOW FRAME WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER **ROOF SIDE RAIL**
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR
- (98)NOT APPLICABLE
- (99)UNKNOWN

Duplicate columns 1-8 Module from the previous card.	9 10 Format 0 1 12			Inti	RUSION	IT-5							
(0) NO <u>DO NOT</u> ANSWER NEX	(1) YES ANSWER NEXT QUESTION. (1) YES SKIP PAGE.												
Duplicate columns 1-8 Module from the previous card. NOTE: Each line in the table below	9 10 11 12	Duplicate column	s 1 - 12 for eacl	n completed li	ine.								
INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY													
A B C INTRUDING INTRUSION OCC. COMPONENT NUMBER SPACE NO. OR OBJECT	D E F ASSOC. MAXIMUM MAXIMU EVENT INTRUSION INTRUSION NO. X AXIS (cm) Y AXIS (cm)	ON INTRUSION	H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER							
13-14 15-16 17-18	19 20-21 22-23	24-25	26-27	28-29	30-31	32-33							
0 1													
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM INTRUSION NUMBER CAUSE CODES	DOOR INTRU INTRUSION	TO DOOR CO JSION, CODE DAMAGED COMPONENT 1	MPONENT I COMPONE DAMAG COMPON	NT GED IENT 2	CODES FOR COMPONE								
13 15 (1) DIRECT IMPACT 16 18 (2) INDUCED DAMAGE 19 21 (9) UNKNOWN	C	_ _ _ _	25 29 33 37	() () () () () () () ()	O) NONE 1) A-PILLAR 2) B-PILLAR 3) C-PILLAR 4) LATCH/STRII 5) HINGES 7) OTHER: B) NOT APPLIC D) UNKNOWN								

Duplicate columns 1-8 from the previous card.

Module I T Format 0 2 11 12

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE -

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT	D ASSOC. EVENT NO.	E MAXIMUM INTRUSION X AXIS (cm)	F MAXIMUM INTRUSION Y AXIS (cm)	G MAXIMUM INTRUSION Z AXIS (cm)	H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER	
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33	
<u>0 8</u>											
<u>0</u> 9											
1 0											
11											
1 2											
1 3											
1 4											
1 5											
<u>1</u> <u>6</u>											
<u>1</u> <u>7</u>			_								
1 8											
<u>1</u> 9											
2 0											
2 1			_								
22											
2 3											
2 4											
<u>2</u> <u>5</u>			_								


Duplicate columns 1-8 from the previous card.	Modu	ile <u>I</u> <u>D</u>	Format <u>0</u> <u>1</u>	INTERIOR DAMAGE ID-1					
CO	(1	D) NO I) YES B) NO, and	OCCUPANT CONTACT	(8) NC	ES, and C OT APPL NKNOWN	OCCUPANT CONTACT ICABLE			
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF OTHER: *	LEFT 0 13 0 15 0 17 0 19 0 12 0 28 0 25 - 27 0 29 0 31 0 33 8 35 0 37 0 38 8 47 8 43	RIGHT 4 14 16 0 18 1 20 0 20 0 20 0 20 0 20 0 20 0 20	FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE		0 45 0 46 0 47 Q 48 Q 50 9 50 9 50 9 50 50 50 50 50 50 50 50 50 50 50 50 50	INSTRUMENT PANEL UPPER PANEL MID PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLETS HEATER OR A/C DUCTS RADIO OTHER: * REAR WINDOW WINDOW HEADER CONSOLES VERTICAL	20 8 0 8 0 8 0 8 0 8 N		
4-						ROOF	70 <u>3</u> 71		

^{*} MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 Module S T from the previous card.		2 12	SEATS	,	ST-1
FRONT SEAT	DRIVER	PASSEN'R	FRONT SEAT-BACK	DRIVER	PASSENT
TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER: DUCKETS WIDE	9 7	97 15 16	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	30	1 31
(99) UNKNOWN CENTER SEAT TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	1 33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE	1 34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	1/22	(9) UNKNOWN RECLINER MECHANISM HELD (0) NO	<u>(</u>	<u>_</u>
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8/23	8/24	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 25	<u>O</u> 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	<u>2</u> 38	<u>2</u>
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	<u>C</u> 27	2	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	8
FRONT SEAT ROTATION (0) NONE APPARENT	۵	0	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	8/42	43
(1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	<u>O</u> 29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	0 4	<u>}</u>

			S	EATS	ST-2
FRONT SEAT ADJUSTMENT SEAT ADJUSTMENT TYPE (0) NONE (RIGID)	DRIVER	Passen'r	SECOND SEAT (CONT.) CENTER ARMREST DAMAGED		
(1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY	2 46 2 48	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED		<u>&</u> 50
(2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	SECOND SEAT-BACK LOCKS	LEFT	Rіснт
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 50	51	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	8 52	√ 53	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	61 3 63 0	<u>S</u> 8 4 1 66
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	<u>1</u>	3 55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	67	3 68
SECOND SEAT TYPE OF SECOND SEAT	LEFT	Rіснт	EQUIPPED BACKREST DAMAGED	<u>0</u> &	70 70 8 72
(0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT	2 56	<u>7</u>	CUSHION DAMAGED	71	F 74
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 58	59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	75	9

Duplicate columns 1-8 Module A B Format 0 11 11 11 11 11 11 11 11 11 11 11 11 1		AIRBAG	AB-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16
(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>0</u>	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>D</u> 18
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED MARKED BY CONTACT	19	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED MARKED BY CONTACT	
(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	20	(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	2



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 11	2 12	OCCUPANT INFORMATION OC-1						
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	<u>O</u> <u>I</u> 13 14	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	<u>4</u> <u>2</u> <u>21</u> <u>2 5</u> <u>22</u> <u>23</u>					
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN (178 lb) HEIGHT (cm) (999) UNKNOWN (54, 7in) SEX (1) MALE (2) FEMALE (9) UNKNOWN	0 8 / 25 26 1 7 0 27 28 29					
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN POSTURE (10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON SEAT (40) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER	4 7 18 19	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DEAD AT SCENE (06) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 31 DAYS TO 31 DAYS LATER (10) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE)	0 31 32 0 35					
COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: Sitting almost conditory (99) UNKNOWN OF RIGHT SEAT with left foot on pedals, Paired is RURAL MAIL DELIVEREN		(4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN						


-		Occupant Information	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	2 36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 41 42
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN	3 37 38	EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	9 8 45
PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	2 40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT-EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

		Occupant Information	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	47	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	48

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.





Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>C</u> Format <u>0</u> <u>1</u> 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).


Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

OCCUPANT INJURY CLASSIFICATION						PRIM	IARY	OIC		A	ssoc	CIATE	O OIC		COMMENTS	
	OCCUPANT NUMBER	INJURY NUMBER	PROBAL START I IN 1ST (BILITY (HOI WITH MOST CONTACT A	S IN ORDER OF RIZONTALLY) . I PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	
13-14		15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
0	1	01	19			E	R	<u>C</u>	Ţ	1	_	_		_		
1		02	12			<u>w</u>	R	<u>_</u>	<u>I</u>	1		_	_			
		03	12						5							
		04		02		ł			Ī			_	_	_		
		. — —				_	_	_		_	_			_		
						-	_	_	_	_		_		en de commune		
						-		_	_	-		_	_	_	_	
							_	_			_	_	_	_	-	
gi gi						_	_	_		-		_	· —	_	-	
r each #						_	_	_		-		_		_	_	
ie "Occupant Number" for each line.										_	_	_	_	_	_*	
pant Nu									_	_				_	_	
te "Occı							_		_	_	_		_			
Duplicat								_	_							
											-					
-						_							_	_		,
						_				-		_		_	-	
	.							_	_	-	_	_	_	_	-	
							_		_	-	_	_	_	_	-	
						_	_	_		_		_	_		-	
NO	TE: (USE ADDIT	TONAL PAG	ES IF NEC	ESSARY.											

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

5	D Osus	•	
	OF PASSENGER COMPARTMENT	SIDES	
(10)	, , , ,	(20)	
(12)	WINDSHIELD	(19)	HARDWARE ON SIDE OR DOOR
(05)	INICTEL MENT BANEL (COECUEO ACEA LINICALOMA)	(13)	ARMREST ON SIDE OR DOOR
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)	(00)	WWW.DOW. 61 + 60 (610-7)
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA	(26)	
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	` '	A-PILLAR
	OF ATTACAMENT DAMES	· · - /	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	, ,	C-PILLAR
(53)	PARCEL TRAY	(17)	D-PILLAR
(48)	KNEE RESTRAINT	F:	
(86)	VERTICAL CONSOLE	FLOOR	
	TOOT CONTROL O (190) - DADI(190) - DOA(15 DEDA)	(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	CONSOLE ON FLOOR OR BETWEEN SEATS
		(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)		PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL		FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN	D	
		Roof	•
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	, ,	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	
(67)	IGNITION KEY		DOME LIGHT
(06)	MIRROR	(39)	
(04)	HEATER OR AIR CONDITIONING DUCTS	, ,	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)	_	
(58)	ADD-ON TAPE DECK, RADIO, A/C		OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
_			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
Interior-General			
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT		OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
			OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE		
(34)	RESTRAINT SYSTEM WEBBING	PENETRA	ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)	(61)	OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
(46)	AIRBAG GAS		·
(48)	KNEE RESTRAINT	MISCELL	ANEOUS
(30)	HEAD RESTRAINT	(00)	NO CONTACT (INVALID FIELD FORM CODE)
(42)		(38)	
(43)		• •	SPARE TIRE
	INTERIOR LOOSE OBJECT		INDUCED
(32)		(97)	
	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(98)	
(41)	UNKNOWN INTERIOR SURFACE	• ,	HYPEREXTENSION/COMPRESSION
		(99)	UNKNOWN AREA OF CONTACT



CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

1 BODY REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY 5 SYSTEM/ORGAN 4 LESION 3 ASPECT 0 BODY REGION 1

SEVERITY (OR "AIS", ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN

Color No. 120-99. Legis Commission. Beyland No. 120-99. Legis Commission. Proceedings of the Color of Description House. Proceedings of the Color of Description. Proceedings of the Color of Description. Proceedings of the Color of Description.

- Aller















Rost Avoils





est Availab

































est Availab



















































CASE AD SERVE CHEST

COUNTY Of STANSACTIONS STAN (CERT

Single City Special and particular based from strange contents?

10, CO Tr MAS 1 00 3 "Shreen it a sumit productioned counter and also were stilling to the right analyse axed upon with high little set operating the trades and gas precise.



